
VOL. 19 NO. 1



# **VICTORIAN ENTOMOLOGIST**



Registered by Australia Post Publication No. VBG0277 Price \$2-50 News Bulletin of The ENTOMOLOGICAL SOCIETY of VICTORIA



## The ENTOMOLOGICAL SOCIETY of VICTORIA (Inc.)

### **MEMBERSHIP**

Any person with an interest in entomology shall be eligible for Ordinary Membership. Members of the Society include professional, amateur and student entomologists, all of whom receive the Society's News Bulletin, the Victorian Entomologist.

### **OBJECTIVES**

The aims of the Society are :

- (a) to stimulate the scientific study and discussion of all aspects of entomology,
- (b) to gather, dissominate and record knowlodge of all identifiable Australian insect species,
- (c) to compile a comprehensivo list of all Victorian insect species and
- (d) to bring together in a congonial but scientific atmosphere &11 persons interested in entomology.

## **MEETINGS**

The Society's meetings are held at Clunies Ross House, National Science Centre, 191 Royal Parade, Parkville, Victoria, at 8 pm on the third Friday of even menths, with the possible exception of the December meeting which may be held earlier. Lectures by guest speakers or members are a feature of many meetings at which there is ample opportunity for informal discussion between members with similar interests. Forums are also conducted by members on their own particular interest so that others may participate in discussions.

## SUBSCRIPTIONS

Ordinary Member	\$10.00
Country Member	\$ 8.00 (100 km + from GPO)
Student Nember	\$ 5.00
Associate Member	\$ 2.00 (no magazine)

No additional fee is payable for overseas posting by surface mail of the Nows Bulletin. Associate Members, resident at the same address as, and being immediate relatives of an Ordinary Nember, do not automatically receive a copy of the Society's publications but in all other respects rank as Ordinary Members.

#### MINUTES OF THE GENERAL MEETING, 9 DECEMBER 1988

The President, K. Walker, opened the meeting at 8.05 pm.

G. & J. Burns, P. Carwardine Apologiss:

Present: M. Braby, J. Burns, K. Clark, M. & P. Coupar,

D. Crosby, I. Faithfull, R. & J. Field,

D. & J. Holmes, P. Kelly, T. New, O. Rogge,

J. Ross, S. Smith, B. Vardy, R. Vagi

Minutes of the October meeting (Vic.Ent. 18: Minutes 99-100) were passed (Kelly/R. Field).

#### Extraordinary General Meeting

The President drew members' attention to the Notice (Vic. Ent. 18:101) of an Extraordinary General Meeting, called to consider a modification of Clause 13 of the constitution. After some discussion, the resolution as proposed was put to the meeting and adopted unanimously.

Corrsspondence: Detailed and received (Braby/Clark).

Credit balances are \$2136.60 (General Acct.), Treasurer's Report: \$1744.12 (Le Souef Memorial Fund), \$421.61 (Junior Encouragement Fund). There are at present 90 financial members.

Editor's Report:

I. Faithfull reviewed the content of the 1988 Victorian Entomologist, and thanked the authors and production team who had supported him throughout the year. He also gave notice of his intention to step down as Editor after the February issue.

K. Walker, on behalf of all present, paid tribute to Ian's work as Editor and proposed a vote of thanks to him. This was greeted

by applause.

A new Editor is needed: offers of help to the President or Secretary as soon as possible, please.

Exoursions:

M. Braby gave details of the excursion to the Gresswell Forest area on December 11.

- General Businsss: i. K. Walker offered the Society's congratulations to T. New on his recent appointment as President of the Australian Entomological Society and as winner of the Ian Mackerras Medal.
  - 11. J. Burns suggested that wearing of name tags at moetings would be helpful, especially to new members. Secretary to act.
  - iii. R. Field: a series of slides of immature stages of Lycaenidae, with a challenge to members to identify them.

- iv. M. Braby : a series of slides of the Grampians National Park, taken on a field trip with I. Faithfull.
  - v. D. Holmes: a case of the various subspecies of Papilio ulysses, from various parts of the New Guinea region. Considerable discussion took place on aspects of the legal 'protection' of butterflies, and the role of overcollecting in butterfly conservation. Many members are concerned over the increasing bureaucracy and needs for permits to collect in many areas.
- vi. M. Braby: larvae of the symmomus skipper. He explained the background to a current attempt to introduce T. symmomus into the La Trobe University Wildlife Reserve, in which areas of the food plant, Lomandra, had been planted.
- vii. M. Braby: an example of a cabinet drawer, together with leaflets from the maker.
- viii. K. Walker: comments on his recent trip, with with T. New, to northern Queensland, and a case of bees collected. T. New showed a box of lacewings and one of moths (from Iron Range).
  - ix. T. New showed an advance copy of his new book <u>Associations Between Insocts and Plants</u> just published by New South Wales University Press.
    - x. K. Walker initiated a brief discussion on the new format/content of <u>Australian Entomological Magazine</u>, now produced by the Entomological Society of Queensland.

The meeting closed at 9.30, after which most members present adjourned for supper in the Foundation Room.

T. New, Secretary.

#### MISSING ISSUES ?

Have you missed out on receiving any recent issues of the Vic. Ent.? Mistakes can sometimes be made in the mailout and the financial status of members. Please do not hesitate to ask for missing issues to ensure your collection is complete. Those from 14(6) onwards can be obtained from the Hon. Editor. Those prior to December 1984 may be harder to obtain and contact should be made with the Hon. Secretary.



#### MR ROBERT H. FISHER

A pharmaceutical chemist, who owned his own business in Adelaide, Bob Fisher has been collecting buttorflies since at least the early 1950s. He is most famous for his book Butterflies of South Australia (1978). Bob is an honorary associate of the South Australian Museum, has been Treasurer and on the committee of the Royal Society of South Australia for a long period and has written insect chapters in that Society's series of regional natural histories of the state. In 1986 he donated his collection of several thousand moths, butterflies and other insects to the S.A. Museum. He is an extrordinarily gifted photographer whose particular study in recent years has been the compiling of a library of colour transparencies of the life history, early stages and biology of Australian butterflies.

The purpose of the Le Souer Award is to recognise the very substantial role played by amateurs in development of knowledge of our insect fauna. Contributions to the Award Fund will be gratefully received and should be addressed to the Honorary Treasurer.

#### Previous Winners

1983 Mr Keith Hateley (Vic) 1984 Mr Geoff Williams (NSW) 1985 Mr Max Moulds (NSW) 1986 Mr Andrew Atkins (NSW) 1987 Mr Bert L. Brunet (NSW)



At night I experienced an attack (for it deserves no less a name) of the Benchuca, a species of Reduvius, the great black bug of the Pappas. It is most disgusting to feel soft wingless insects, about an inch long crawling over onos's body. Before sucking they are quite thin, but afterwards they become round and bloated with blood, and in this state are easily crushed. One which I caught at Iquique, (for they are found in Chile and Peru,) was very empty. When placed on a table, and though surrounded by people, if a finger was presented, the bold insect would immediately protruce its sucker, make a charge, and if allowed, draw blood. No pain was caused by the wound. It was curious to watch its body during the act of sucking, as in less than ten minutes it changed from being as flat as a wafer to a globular form. This one feast, for which the benchuca was indebted to one of the officers, kept it fat during four wholo months; but after the first fortnight, it was quite ready to have another suck.

> - Charles Darwin, The Voyage of the Beagle

## COLEOPTERA FROM PLENTY GORGE AND GRESSWELL FOREST 11 DECEMBER 1988

Ian Faithfull, c/o RMB 3263 Mansfield, Victoria, 3722

During the Society excursion I saw or collected the following beetles. Those marked A are from the Plenty River Gorge to the west and south-west of River Avenue, and those marked B are from Gresswell Forest, Bundoora. An S indicates that a specimen was collected.

#### Scarabaeidae

Horse dung	A
Floating in river	A
In flight mid afternoon S	A
Pupal case S	В
	A
	A
	••
Bluish 'bloom' on elytra	A
Dead S	В
Several on <u>Dodonea</u>	A
Two seen	A
	Macropod dung Horse dung One elytron only Legless abdomen only Floating in river  In flight mid afternoon S  Pupal case  Dead Bluish 'bloom' on elytra  Dead Several on Dodonea

This is a small list of mostly ordinary beetles. I'm sorry for the uncertainties. The record of <u>O. squalidus</u> is notable. Mt Drummer (East Gippsland) and Darby Saddle (Wilsons Prom.) seem to be the only published distribution records for Victoria (Matthews, 1972). Of interest also is that the Field Naturalists Club of Victoria held an excursion to the "Plenty River, at Bundoora ... about 12 miles from town" on 17 December 1887. This

continued on page 8.

#### **BUTTERFLY BULLIES BIRDS**

Peter Valentine, Geography Dept, James Cook University, Townsville, Queensland 4811.

The interesting series of observations on birds and butterflies in editions 2,3,4 and 6 of the 1988 Victorian Entomologist prompted me to describe a rather different interaction recently witnessed in my garden. In late September (1988) a male Hypolimnas bolina set up territory in a sunny glade, selecting a perch about 2 metres from the ground in a central location. At the time there were numerous Ornithoptera priamus flying in the garden. mostly males fighting over access to the main vine where adults were emerging most mornings. The H. bolina male would fiercely chase the very much larger birdwings, pursuing them for 25-30 metres before returning to perch. Apart from numerous other butterfly species there was also a pair of Magple-larks (Grallina cyanoleuca) constructing a nest in a nearby Eucalypt. On one occasion I watched the butterfly conduct its territorial warfare for over an hour while I was relaxing in the garden. It was with more than a little surprise that I observed a series of attacks on the Magpie-larks. The birds were flying in to a moist patch of earth to collect mud and each time they flew past the butterfly it would chase them. Several times the butterfly flew at a bird standing on the ground and on each occasion the butterfly succeeded in frightening the bird to flight. Typically the Magpie-lark would take flight when the butterfly was about 1 metre from it and it would be pursued for perhaps 10-15 metres. I noticed the same behaviour on other days over a period of a fortnight. Unfortunately I left on an extended fieldtrip at that point and by the time I returned five weeks later the butterfly was not to be seen.

The *H. bolina* also attacked a pair of Peaceful Doves (*Geopelia striata*) with similar effect and on one occasion a Common Myna (*Acridotheres tristis*) This butterfly is often observed along rainforest edges in northern Queensland aggressively defending territory but I have not previously seen this or any other species attacking birds! I should conclude by pointing out that occasionally harmony occurs in the relationships between butterflies and birds. At Iron Range I once saw several birdwing butterflies sharing the massive yellow blossoms of the Golden Bouquet tree (*Deplanchea tetraphylla*) with a somewhat smaller Graceful Honeyeater (*Meliphaga gracilis*).

## NOTES ON FIVE SPECIES OF ARCTIIDS COMMON IN THE MELBOURNE REGION

Pat and Mike Coupar, 143 Brackenbury St., Warrandyte 3113

The moths belonging to the family Arctiidae are known as Footmen or Tiger moths. They are small to medium sized moths, often brightly coloured. Some are diurnal but most are nocturnal and are attracted to lights. They are not generally strong fliers.

One of the larger members of the family is an attractive moth called Spilosoma glatignyi. The wings are white with black streaks but the amount of black is extremely variable. The abdomen of this moth is brightly ringed in orange and black and when handled it will feign death and may even show reflex bleeding from the thorax. Mature larvae are about 50mm long, they have a small reddish head capsule and the body is covered in dense orange/brown hairs which may cause skin irritation when We have found the larvae feeding openly during the day on a wide variety of native and introduced herbaceous plants, including Hop Goodenia (Goodenia ovata), Groundsel (Senecio spp.) and Plantain (Plantago spp.). Larvae wander for some time before pupating, often under a log or in debris. They form a loosely woven cocoon incorporating hairs from the body. are two generations a year in the Melbourne region, with moths emerging in early Spring and Autumn.

Another attractive black and white Arctiid is the Magpie moth (Nyctemera amica). The wings are black with large cream blotches and the abdomen, which like the previous species is ringed in orange and black. Nyctemera amica is both nocturnal and diurnal and is probably unpalatable to birds. They fly for most of the year but are particularly common during the warmer months. Mature larvae of this species are about 25mm long and are black with a dorsal orange stripe and lateral orange dots.

Occasionally in late winter we have found larvae with blue dots instead of orange. The body is covered with black bristles which seem to be harmless. Near the head are two forward projecting tufts of hair which resemble antennae. The larvae are commonly found feeding during the day on Groundsel (Senecio spp.). They are also known to feed on Cinerarias. Pupation occurs in a loosely woven cocoon amongst debris, and lasts from 2 - 6 weeks.

Two of the small common Arctiids around Melbourne are the Clouded footman (Xanthodule ombrophanes) and Palaeosia bicosta. The larvae of both species feed on lichens growing on woody shrubs and trees, such as Sweet spinosa), Wattles (Acacia Bursaria (Bursaria Cherry Ballart (Exocarpos cupressiformis) and Eucalypts Mature larvae of both species are (Eucalyptus spp.). about 20mm long, grey/brown and densely hairy. found the hairs of the larvae and pupae to be nonirritant. Pupation occurs in a flimsy cocoon attached to The female of the Clouded footman (Xanthodule a twig. ombrophanes) has only rudimentary wings and after mating she lays her eggs on the outside of the cocoon. The male has mottled cream and brown forewings and pale yellow However the sexes of Palaeosia bicosta are hindwings. similar with greyish/brown forewings and pale yellow hind The moths are nocturnal and fly during the warmer months of the year.

The Heliotrope moth (Utetheisa pulchelloides) is a delicately patterned species, its white forewings are spotted with red and black, the hind wings are pale blue and black. Like Spilosoma glatignyi the moths will feign death and show reflex bleeding from the thorax. They are mostly nocturnal but can sometimes be seen flying during The larvae are grey with orange markings and the day. tufts of hair. They feed on covered with belonging to the family Boraginaceae including Salvation Heliotrope plantagineum), Common (Echium (Heliotropium europaeum) and Forget-me-not (Myosotis

arvensis). Pupation occurs in a silken cocoon in debria. Thia is an extremely widespread Arctiid and around Melbourne may be seen flying from October to April.

#### References

- McQuillan P.B. & Forrest J.A. (1985) Common moths of the Adelaide region. South Australian Museum
- Common I.F.B. (1963) Australian Moths. Jacaranda Press
- Common I.F.B. (1970) Lepidoptera In: Insects of Australia. C.S.I.R.O., Melbourne University Press, pp 765-866

'PRELIMINARY DISTRIBUTION MAPS OF BUTTERFLIES IN VICTORIA'
Published by the Entomological Society of Vic.

Maps of the recorded distributions of the 108 species of butterflies known from this state, plus associated information about the ENTREC Scheme. Cost \$10.00 plus \$2.00 postage and handling, from: David Crosby,

ENTRECS Co-ordinator 74 Gipps Street East Melbourne, 3002 Tel. 417 6345

#### From page 4.

locality is not far from Plenty Gorge. Dudley Best reported (1888) that the area was "noted for the many and rare species of coleoptera to be obtained there" and recorded 12 longicorns and 20 buprestids.

#### References

- Best, D., 1888. No title. <u>In</u> report of the monthly meeting. <u>Victorian Naturalist</u> 4(10):166-7
- Matthews, E.G., 1972. A revision of the Scarabaeine dung beetles of Australia. I. Tribe Onthophagini. Australian Journal of Zoology Supplementary Series No. 9

#### M.J. MANSKI. THE ENTOMOLOGIST WITHOUT A NET

Kelvyn Dunn, Flat 1, Island View Villas, Mungar Rd., Maryborough, Queensland, 4650

Martin Joseph Manski was born on the 27th February 1897 in a house on the corner of Fort Lane and Queen Street, Maryborough, Queensland. His parents were free settlers who emigrated from Germany and arrived in Maryborough on 10th May 1885.

M.J. Manski says his lifelong interest in entomology commenced at about the age of four or five when he discovered the attractive caterpillars and burnished silver chrysalids of Euploea core, the common crow butterfly, on cleander in the front garden of his home. The metamorphosis of these insects to the adult stage so enthused 'Joe' that he began to search out other butterfly varieties for similar purpose. Within a short time he was rearing various Papilio species on Citrus and the familiar Graphium species on camphor laurel and custard apple trees.

At the age of seven Joe recalls attending school and being curious about a sudden appearance of swarms of <u>Eurema</u> and <u>Anaphaeis java</u>, which "the lads chased with switches". At a similar time Joe's mother received her first introduction to his entomological pursuits. When about to wash his school clothes she found the pockets filled with the larvae and pupae of <u>Catopsilia</u> collected from nearby Cassia trees.

When he turned fourteen Joe left school and took up a position as office boy at the Maryborough Co-operative Dairy Companies office. Later, on 6th January 1913, Joe took on his life career with the Postmaster-Generals' (PMG) Department, commencing as a telegraph messenger in Maryborough. He recalls the early days when he used to deliver telegrams at night, long before the advent of bitumen roads, and with a small kerosone bicycle lamp as the only means of illumination. In those days, says Joe, "it was not uncommon for the postman to be out on delivery all day without any breaks for lunch and such things

as overtime and penalty rates were unknown."

Aside from his employment and growing interest in insects, bird watching and fishing, Joe's attentions became directed to social activities and at a local dance he met a girl, Mona, who later became his wife. Joe was married on the 19th June 1920.

About six years later an adventure began with a promotional transfer to the post office at Innisfail, a small town in the far north of Queensland, set amongst luxuriant rainforest : a delight for any budding naturalist. Joe comments "I soon took up the studies of butterflies and watched the egg laying, foodplants and collected pupae and larvae of many species new to me." Amidst his enthusiasm Joe was perhaps a little too obvious in his activities and was soon labelled by the ill-informed as a "butterfly crank", despite the fact that he rarely carried a net, being an observer rather than a collector.

A further transfer to Cairns in 1931 resulted in the exciting experience of rearing <u>Ornithoptera priamus euphorion</u>, the Cairns birdwing, on <u>Aristolochia indica</u>. Joe was continually occupied with the early stages of local <u>Delias</u> species, <u>Eurema</u> and <u>Acraea</u>. He also recalls collecting the early stages of <u>Papilio ulysses</u> at Kuranda in August 1932.

In his diaries Joe noted: "on 27th November 1932 an Englishman L.E. Couchman installed the new printing press in the Cairns Post Newspaper. I took him to the Reservoir road and we found Papilio polydorus (sic) on Aristolochia doltantha." L.E. Couchman is now a well known collector of Australian butterflies residing in Tasmania.

Engrossed in his pursuits, Joe sought no publication or recognition of his activities until Mr W.H. Hemingway, the honarary entomologist to Auckland War Museum, on a visit to Cairns, heard of his exportise. Dr. G.A. Waterhouse of Sydney contacted Joe, encouraging him to rocord the life histories of the local butterflies and to make a preserved reference collection. Waterhouse sent Joe a copy of his publication, the new historic text, What Butterfly Is That?, which in 1932 was hot off the press. After receipt of correspondence on life histories

from Manski Waterhouse was onthralled and replied that his book has now been made "obsolete". Waterhouse assisted Joe in becoming a Fellow of the Royal Entomological Society.

In the mean time Joe's interests expanded to the Filicopsida and it was not long before he had discovered two fern species new to Australia at Babinda Boulders. These were sent to C.T. White, the Government Botanist, who illustrated them.

During his residence at Cairns he reared many species including Vindula arsinoe, Arhopala micale, Hypochrysops apollo, Hypolycaena phorbas and Hasora hurama, but his most publicised discovery was the life history of the giant Hercules moth, Coscinocera hercules, which received attention in the local newspapers at that time. The Cairns Post (Hercules moth. Its life history. Valuable record compiled. December 4, 1935) reported: "Two and a half years' efforts by Mr M.J. Manski of Cairns have resulted in his compiling the life history of the hercules moth which achievement has brought his name into prominence in Australian entomological circles and has earned the eulogy of Dr G.A. Waterhouse, the Australian authority on butterflies ..." Erroneous comments by Tillyard in <u>Insects of Australia and New</u> Zealand that cocoons of the Hercules moth were found in the forks of giant trees in reinforest, had delayed the discovery of its life history, Joe claims. "I found the cocoons amongst leaves and berries, no higher than 4 feet from the ground!" Joe received a Diploma from the trustees of the Australian Museum, Sydney, making him an Honorary Correspondent of the Australian Museum, on account of his valuable sorvices to the Museum at that time. The Cairns Post (op. cit.) also wrote: "The Sydney Museum authorities have stated that they have nover seen anything so comprehensive as this life history, and would have much appreciated its publication in the Australian Museum Magazine."

During the late 1930s Joe began studying fruit flies, rearing them from native berries. A new dipteran species reared from the berries of <u>Strychnos</u> was named in his honour <u>Strumeta manskii</u>. It was in these same borries that he found

larvae of <u>Virachola democles</u>. Joe remembers vividly the find.

"June 12th 1937, Mr L. Franzen and I went to the junction of the Barron River and Stoney Creek collecting butterflies. Mr Franzen was occupied with the Euploeas and I was looking for foodplants, when I saw many berries of <u>Strychnos</u> lying on the ground. I noticed many of them had holes in them so I called out to Franzen ...". Manski and Franzen obtained the whole life history of <u>V</u>. democles, a species previously known only from two males in the British Museum (Natural History), London, and one male in the Australian Museum, Sydney.

Due to ill health, Joe shifted to Brisbane in January 1941, and spent many enjoyable hours collecting insects with L. Franzen and Mr F. Smith at Ashgrove. He also had the opportunity to peruse Dr Jefferis Turner's butterfly collection, which later became part of the Australian National Insect Collection in Canberra. During his period in Queensland's capital Joe visited other naturalists including Messrs Hacker, Beck, C.T. White, Caldwell, Perkins and Blake.

In 1945 he successfully applied for transfer to his birth town and was placed in the Inspection Branch until retirement in 1962 after 49 years of service. He then "started collecting in earnest". Joe and a companion, Cyril Tipping, cycled to various destinations in the Maryborough district to investigate plants and insects. Joe soon developed an interest in jewel beetles and found numerous varieties locally. In recent times Joe has had few days in the field, but recalls some favourable ones with Ray and Nola Manskie of Maryborough in the early 1980s. His eyesight has diminished which now makes field studies difficult for him.

Sadly, his wife Mona became allergic to the fumigant paradichlorobenzene used in his collection of insects, so the collection was sold to the University of Queensland in 1963. Joe's wife of "61 years of married bliss" passed away on 8 September 1981. Joe currently resides in a retirement village, Wahroonga, in Neptune Street, Maryborough. He has authored various articles on butterflies and plants during a period commencing in 1933 and his final paper, Foodplants of some Queensland Lepidoptera,

Queensland Naturalist 16(3,4):68-73 appeared in 1960. All of M.J. Manski's articles are listed in M.S. Moulds(1977) <u>Bibliography of Australian Butterflies 1773-1973</u>, pp. 152-153.

As a concluding statement I will quote Hemingway from his Guide to the Insect Wonder House. "None have I met who bring to bear more desirable qualities than does Mr Manski. Not only is he endowed with the qualities of patience and thoroughness, but to his entomological research he brings a knowledge of field botany that is second to none." M. Joe Manski is the oldest entomologist in Australia and will be 92 this February.

#### Acknowledgement

I sincerely thank Joe Manski for providing all the necessary information to make this brief biography possible.

## ON THE GRAPEVINE



Russell Mayo has been collecting butterflies around the Singleton area in the Hunter Valley. A buprestid he collected some time ago has been named Stigmodera mayoiana and Russell is most honoured. He reports a poor season for jewel beetles in the Gosford area and the poorest season that he can remember around Sydney for butterflies (too wet). He has recently visited Grant Miller in Lismore, NSW, and had a look at his collection and also went to south-east Queensland.

Andrew Atkins has been observing courtship behaviour in Trapezites skippers and would be interested to hear of details of any female-male interactions in T. symmomus. It's been an unusual summer in his area too, with pre-Christmas emergences of Hetero-nympha banksii and Anisynta dominula in the mountains near Newcastle.

Michael Braby is currently in Townsville where he intends to continue his studies at James Cook University.

John Burns has discovered some nice colonies of Jalmenus ictinus not far from Melbourne. John is expected to be the new Editor of this News Bulletin.

On The Grapevine is continued on page 19.

#### THE ENTOMOLOGICAL SOCIETY OF VICTORIA (INC.)

#### MEMBERSHIP APPLICATION

APPLICANT: Full Name .....

	Address		• • • • • •		• • • • • • • • •	• • • • • • •
					Post co	de····
	Interest	s	• • • • • • •			• • • • • • • •
I hereby life members bound by the	ship of t	he Soci	ety, an	d if elec		
Signatur	·e •••••	• • • • • •	• • • • • • •	· · · · Date ·		
PROPOSER:	Full Nam	e	• • • • • • • •			• • • • • • •
	Address		• • • • • • •			• • • • • • •
	•				Postco	ode
	Signatur	е			· Date · · · ·	
SECONDER:	Full Nam	е				
	Address		• • • • • • •			• • • • • • •
	•				Postco	de
	Signatur	e			· Date · · · · ·	• • • • • • •
Membershi	p Categor	ies:				
paying an 2. COUNTR 100 kilom 3. STUDEN who are b universit 4. ASSOCI	annual s Y MEMBERS etres fro T MEMBERS ona fide y, paying ATE MEMBE	subscrip S are or om the f S are pe full-ti g an and ERSHIP	otion to rdinary 1elbourn ersons c ime stud nual sub is restr	the Soci members we G.P.O. under the dents of a oscription icted to	who reside age of 18 a school, o n to the Si	more than years or college or ociety. iate family

PLEASE RETURN TO THE SECRETARY, Dr.T.R.New, Zoology Dept. LaTrote University, Bundoora, Vic., 3083.

address as that person. Such Associate Members are not entitled to receive the Society's publications, but in all other respects they rank equally with Ordinary Members.

5. LIFE MEMBERS are Ordinary Members who have paid a single lump sum to cover all future membership subscriptions during

subscription to the Society, and who are resident at the same

their lives.

#### RECENT ARTICLES OF INTEREST

Muriel Reddy, A lifetime in pursuit of elusive beauty. The Age 24 Jan. 1988, p.3. Short biography of Archie May, 80 year old Cann River apiarist and entomologist famous for his insect collection and hospitality to children. His \$2.5 million gold mine. Nice photo with a pinned specimen of Papilio aegous on Buddleia flowers: "Mr Archie May ... admires a beautiful exemple of his quarry near his homo ... 'I never did it for the money, only for the interest', he says of his prize collection."

CSIRO gears up for Russian aphid invasion. Weekly Times 2 Nov. 1988, p.17. Diuraphis noxia spread from the Black and Caspian seas to west Europe in 1945, to Ethiopia, South Africa (where 600,000 ha were sprayed to control it in 1980), Mexico (1980) & Alberta, Canada (October 1988). Crop yields can be reduced by up to 80%. Dr Dick Hughes is assessing the risk in Australia and preparing a plan to deal with infestations (CSIRO Rural Research, Spring 1988).

'Partnership' to raise mite predators. Weekly Times 23 Nov.,p.3. Northern Vic. fruitgrowers, Cropwatch & Dhurringle Rehab. Centre have combined to breed large numbers of a pesticide resistant strain of the predatory mite Typhlodromus accidentalis for use in controlling orchard mite pests.

First gas tight silo. Weekly Times 30 Nov., p.4. Aust's first prefab gas tight silo has been installed at Berriwillock in the Malleeto protect field peas from pea weevil, Bruchus pisorum (Bruchidae). Details of its construction and operation.

Leith Young, Hanging them high in fight of the humble bee. The Age 12 Jan-1989, p.6. In an attempt to clear honeyboes from tree hollows of redgum, Wyperfeld N.P. managers have been hanging pest strips. The Regent Parrot is thought to have been displaced by the bees.

Pitcher plants give as good as they get. New Sci. 120(1644/5):27, 24-31 Dec. 1988. Large quantities of nectar in the flowers are real rewards to visiting insects, only a small proportion of which are caught and digested (Biol. J. Linn. Soc. 35:185).

Omar Sattaur, Pheromones add a new twist to cotton crops. New Scientist 121(1646):35, 7 Jan. 1989. Pakistani farmers have finished successful testing of plastic twist-tie pheromone lures for control of cotton bollworm (Heliothis sp., Noctuidae).

David Knowles (photographer), Photoart : jumping spiders. 7 spp. mostly from Ball. Aust. Nat. History 22(11):501-3, Summer 1988-9

David Thompson, Dragons and damsels. An in-depth penetration of their sexual strategies. Aust.Nat.History 22(11):506-10. Nales of some spp. of dragonfly have penes which pack sperm already deposited by other males into parte of the female sperm storage areas remote from the oviduct. Most damselflies and some dragonflies have penes that are used to remove the sperm of other males before inserting their own. Behavioural ecology studies,

#### RECENT ARTICLES OF INTEREST (CONTINUED)

- including one of 4,000 individuals of <u>Coehagrion puella</u> which visited an isolated pend in England, show that predator avoidance and feeding efficiency are of more importance than sexual selection in determining mating success.
- L. Metzeling, Description of the fourth instar larva & pupa of <u>Dasyomma tonnoiri</u> Paramonov (Diptera:Athericidae). <u>Aust.Ent.Mag.</u> 15(4):113-8, 30 Nov.1988. First description of the immaturo stages of Aust. spp. of family first characterised in 1973.
- R.G. Piper, Larval aggregations in Aedes vigilax (Skuse)(Diptera: Culicidae). Aust. ent. Mag. 15(4):119-21. Dense clumps of saltmarsh mosquito larvae in coastal pools in N. Qld. The combined feeding activity of such larvae is thought to disturb bottom particles and enhance food supply.
- Alan J. Graham, The life history of a semi-arid population of Croitana croites (Hewitson), (Lepidoptera: Hesperiidae). Aust.ent. Mag. 15(4):123-6. Egg, larval instars & pupae described, illusts. by Andrew Atkins. Foodplant Stipa platychaeta. Range extension to eastern goldfields of W.A., io some 600 km. Distinguishing features of the Kalgoorlie, Northern and Southern populations.
- C.N. Smithers, New records of Australian Nymphidae. Aust.ent. Mag. 15(4):141-3. Significant distribution extensions represented by specimens in the Australian Museum as compared with T. New's 1981 revision of this family of Neuroptera.
- J.R. Hosking & W. Danthanarayana, Low level flight activity of Nesocitha pallida (Evans), Orosius argentatus (Evans) and Zygina sealandica (Hyers) (Hemiptera:Cicadellidae)in southern Victoria.

  J.Aust.ent.Soc. 27(4)241-9, 29 Nov. 1988. At Bundoora & Toolangi the temperangos, wind speeds favourable to flight, times of flight (activity peaks at sunset, & sunrise for zealandica) and height above ground for leafhoppers.
- D.K. Yeates & C.E. Hagan, Revision of the Aust. spp. of Systropus Wiedemann (Diptera: Bombyliidae). J.Aust.ont.Soc.27:251-5. Wasp mimicing bee flies. Key to 2 Aust. genera of Systropodinae and 2 Aust. spp. of Systropus from Qld. Male of S. doddi described and its behaviour briefly detailed.
- M.A. Horwood, Control of <u>Pheidole megacephala</u> (F.)(Hymenoptera: Formicidae) using methoprene baits. <u>J.Aust.ent.Soc.</u>27:257-8. Coastal brown and had made large nest in walls, etc. in labs & insectaries at the Biological & Chemical Research Institute. Alternatives to conventional insecticides were needed so as to protect insect cultures. The juvenile hormone analogue was mixed with peanut butter and total control was achieved in 20 weeks.
- Ian C. Campbell & Phillip J. Suter, Three new genera, a new subgenus and a new sp. of Leptophlebiidae (Ephemeroptera). J.Aust. ent.Soc. 27:259-73. Austrophlebioides, Garinjuga, Koorrnonga gen. nov., Australonousia subgen. n., G. maryannae sp. n.

#### RECENT ARTICLES OF INTEREST (CONTINUED)

- J.P. Aeschlimann & Janine Vitou, Comparing infestations by <u>Sitona discoideus</u> Gyllenhal (Coleoptera:Curculionidae) on Mediterranean & Aust. <u>Medicago</u> spp. accessions (Leguminosee) in Southern France. <u>J.Aust.ent.Soc.</u> 27:275-8. The Sitona weevil, a pest of medics in SE Aust, is shown to have no preference for any one species line.
- Z. Mazanec, Immature stages and life history of Chrysonotomyia sp.C (Hymenoptera:Eulophidae), a parasiteid of the Jarrah leafminer. J.Aust.ent.Soc.27:279-92.
- R.E. Teakle & V.S. Byrne, Food selection by larvae of Heliothis armigera (Hübner)(Lepidoptera; Noctuidae) on grain sorghum. J. Aust.ent.Soc.27;293-6. This cutworm is a pest of many crops & has developed resistance to commonly used insecticides. On sorghum the 5th & later instar larvae feed on ovaries & so cause economic damage. Early instars feed almost exclusively on anthers.
- David G. James, Fecundity, longevity and overwintering of <u>Trissolous biproruli</u> Girault (Hymenopt:Scelionidae) a parasitoid of <u>Biprorulus bibax</u> Breddin (Hemiptera:Pentatomidae). <u>J.Aust.ent. Soc.</u> 27:297-301. The spined citrus bug has become a major pest in the MIA & Sunraysia since 1975. This parasitoid seems to play a major part in population regulation of the pest. Virgin & mated females produced 58 & 98 progeny during adult lives of 24 & 20 days respectively, mainly in the first days of adulthood. Unfed parasitoids died in 4 days. Winter reproduction requires sunlight exposure and female overwintering is usual.
- T.A Heard, Propagation of hives of <u>Trigona carbonaria</u> Smith (Hymenoptera;Apidae). <u>J.Aust.ent.Soc.</u>27:303-4. The native honeybee or stingless bee is thought to be an important pollinator of tropical & subtrop. crops. Transfer of only the brood chamber from natural locations to simple wood box hives was best.
- M.W.J. Crosland, R.H. Crozier & E. Jefferson, Aspects of the biology of the primitive ant genus Myrmecia F. (Hymenoptera; Formicidae). J.Aust.ent.Soc.27:305-9. Some bullant workers are unable to emerge from their cocoons without the holp of other ants. Workers of some species have functional ovaries and a spormatheca and can lay eggs. A nupital flight is described as also is an ergatandromorph (an aberrant individual with both male and worker regions).
- Ernest S. Delfosse, Echium appeal won by CSIRO. Aust.Ent.Soc. News Bulletin 24(4):149-52, Nov. 1988. Short history of Patersons Curse and CSIRO endeavours to control it with natural enemies.
- Zoological Catalogue of Australia Volume 6, Ephemeroptera by I. Campbell, Megaloptera by G. Theischinger and W.W.K. Houston, Odonata by W.W.K. Houston and J.A.L. Watson, Plecoptera by F.B. Michaelis and C. Yule, Trichoptera by A. Neboiss. The aquatic orders: Mayflies, Alderflies, Dragon- and Damselflies, Stoneflies and Caddis-flies. Australian Government Publishing Service, \$29.95 (includes postage), CPO Box 84, Canberra, 2601.

#### RECENT ARTICLES OF INTEREST (CONTINUED)

- M.G. Chukhrii, An Atlas of the Ultrastructure of Viruses of Lepidopteran Pest of Plants. Transl. from Russian by V. Kothekar. Balkema Books, 281 pp., Sept. 1988, \$55.50
- J.P. Duffels, The Cicadas of the Fiji, Samoa and Tonga Islands. Their Taxonomy and Biogeography (Homoptera, Cicadoidea). c.150 pp., cloth bound, E.J. Brill, Entomonograph 10, 1988. \$36.75.
- Willis W. Wirth & William L Grogan, The Predaceous Midges of the World (Diptera: Ceratopogonidae: Ceratopogonini). Flora & Fauna Handbook 4, E.J. Brill, c.108 pp., 1988, \$29.50. Includes 10 n. gen. from s. hemisphere. Checklist of 851 described world spp.
- Guide to Collecting Requirements for Australian Terrestrial Flora and Fauna. Bureau of Flora & Fauna, AGPS, Canberra, 1986, 13 pp.\$1.50. Brief guide to the procedures which must be followed and the organisations to contact prior to collecting flora and fauna for research in the States, Territories & Oceanic Islands of Aust.
- G.B. Monteith, Australian federal import/export controls on insect specimens and their effect on insect conservation. pp. 21-30 in Majer, J.D. (ed), The Role of Invertebrates in Conservation and Biological Survey. WA Dept. Conservation & Land Mgt. Report, 1987. Origins of the Act, CITES, the permit system, trade, conservation effects.
- L.M., R.K. & D.R. Johnston, Butterflies of Cape Tribulation 26 Sept - 8th Oct 1982. <u>Queensland Naturalist</u> 26(1-4):30-1.
- D.K. Yeates, Altitudinal transect studies at Cape Tribulation North Queensland IV. The March Flies (Diptera:Tabanidae).. Queensland Naturalist 26(1-4):58-61.
- E.N Marks, Alt. trans. studies at Cape Trib. NQ V. Mosquitoes (Diptera:Culicidae) with notes on additional collections. Queensland Naturalist 26(1-4):62-6.
- A.L. Dyce, Alt. trans. studies VI. <u>Culicoides</u> (Diptera: Ceratopogonidae). <u>Queensland Naturalist</u> 126(1-4):67-9.
- G.B. Monteith, Alt.trans.studies VII. Coleoptera and Hemiptera (Insecta). Queensland Naturalist 26(1-4):70-80.
- G.B. Monteith, Some curious insect-plant associations in Queen-sland. Queensland Naturalist 26(5-6):105-14. Ant plants; breeding in water-filled tree holes; pitcher plants & sundews; ants & lycaenids as shelter; insect seed dispersal; the dung mimicing arum lily pollinated by dung beetles.
- K. Lambkin, The Neuroptera and Megaloptera (Insecta) of Fraser Island. Queensland Naturalist 27(5-6):7-14, April 1987.

### ON THE CRAPEVINE

ABC television is using a cicada wing in one of its station identification logos. Any guesses on the species?

Australian Entomological Supplies have moved to new premises. The PO address remains the same. Alan Frazer reports that things are gradually returning to normal after the disruption to business.

David Crosby is currently writing up his study of the Altona Skipper (flavescens). The Ocybadistes walkeri paper has been completed.

Kelvyn and Jedie Dunn visited Rod Eastwood at Surfers Paradise in early December and examined part of his butterfly collection. Rod also has a collection of cicadas. Rod recently travelled to Townsville where he saw Steve Johnson and went collecting for Acrodipsas and Hypochrysops at various lecalities. Kolvyn stopped off to see Max Moulds in Sydnoy and looked at Max's cicadas before coming to Melbourne to stay with his parents over Christmas. Kelvyn reports a lovely water temperature of 27 degrees C at Rainbow Beach but unfortunately it rained during the visit and he saw very few butterflies. At Maryborough some large cicadas, Marcrotristria angularis, were singing loudly in the first part of December in the evening after rain. Some specimens came to light at night. Kelvyn has taken up a position at the Plant Research Instituto, Burnloy, as a Technical Officer in plant pathology and entomology, after a short but glorious career in the teaching service.

Ray Manskie has been rearing various skippers including Sunianas from along the Mary River. He has been exchanging specimens with Hugh Bollam of Perth and has received some beautiful examples of Ogyris and Jalmenus from Western Australia.

Hugh and Peter Valentine went collecting in the Stirling Ranges (W.A.) just before Christmas. They were successful in rediscovering Ogyris otanes which had not been seen there for 80 years. Examples have been sent to the ANIC and the Museum in Perth.

Ken Clark reports a very interesting time in Townsville with his breeding boxes working overtime. Around the end of December a large laurel in the garden sported numerous larvae in all stages of the Blue Triangle. A large bug was having a busy time killing off seme of the yeung ones. The Cairns Birdwing was plentiful, a friend having so many that he sent 60 larvae to Butterfly World at Saunders Beach. On the same Aristolochia (probably tagala) vine were a very beautiful looking lot of larvae and pupae of the Big Greasy.

More On The Grapevine on page 13.

## SUBJECT INDEX TO VOLUME 18 (1988) OF THE VICTORIAN ENTOMOLOGIST

DOOF DEVIEWS			
BOOK REVIEWS	b D. U.1		-
Australia's Butterfli			5 32
The Butterfly Gardene			
Australian Tropical B	utterilies b	by P. Valentine & C.	&D. Frith 86
Scientific & Common N in Australia by P.B			Occurring 108
GENERAL & MISCELLANEO	us	CSIRO funding	81
		_	
CONSERVATION	31,74,83	B	1es 49
ESV Committee	59,81	Protected butterfl	
Flora & Fauna Guarant		Threatened species	11st 90-2
TUCN Red list Threate	n•d 90-2		
Animals			
PEOPLE			
Atkins, Andrew	97	Manskie, Nola	50
Bishop, Tony	75	Manskie, Ray 50,9	7,105,107,114
Braby, Michael 37, 50, 75		Manski, Joe	50
Burns, Alex	50,84	Moore, Mike	37
Burns, Gordon	3,75,97	Moulds, Max	114
Burns, John	75,114	Neboiss, Arturs	3
		Neilsen, Ebbe	37
Burns, Joy Byrne, Maisie	97 64	New, Tim	3,50,97,114
Carwardine, Peter	3	Oke, Charles	84
Crosby, David 3,18,41	_	Radley, S.&P.	113
Douglas, Fabian		Reid, John	37
•	37,97,102	Sattler, Fred	107
Dunn, Kelvyn	50,75,114 50,114	•	75
Eastwood, Rod	102	Sundholm, Alan Trebilcock, Richar	
Faithfull, Tony			75
Gordon, Ralph	79 99	Turner, Jim Valentine, Peter	86.114
Harvey, Mark		Vaughan, Patrick	97
Hicks, Phillip	39		3,57,97,114
Himmelrich, Val	37	Walker, Ken	85
Hunting, Mark	75 84	Wilson, F.E.	97
Kershaw, J.A.		Wertz, Jak	71
Le Souëf, Mary	58,97		
PLACES & LOCALITIES			
New South Wales			
Barrington Tops (Butt	erflies)62	Green Point (Butte	
Blackjack Mountain (A		Gunnedah ( <u>Anisynta</u>	
Buladelah State Fores		Lightning Ridge (L	
Coonabarabran (Candal	<u>ides</u> ) 62	Oxley Crossing (Ca	
Cundletown (Butterfli	es)42,44-5	Pleasant, Mount (B	utterflies)62
Dudley (Toxidia peron		Saltwater (near Ta	
Gosford (Butterflies)	62	Saratoga (Butterf1	ies) 62
South Australia		W	(***
Botenella Range (Butt	eri18. 24	Ninety Mile Desert	•
Eyre Peninsula (Butte	rflies) 24		-9,87-8,110-2
Giles, Lake (Butterf1	188) 24-5	Wilcherry (Butterf	11es) 24-5
Queensland	3) 114	Manager (Manager)	malindaya Ma
Archer, Mt (Butterflie	13) 114	Marcom (Hesperilla	
Bauple (Dellas)	85	Maroochydore (Toxi	
Biggendon (Applas pau Carnarvon Gorge N.P. (	Butter 1 62	Maryborough (Butte	
Carnarvon Gorge W.P. (	Duttilly 03	Pialba (Butterflie	,

PLACES & LOCALITIES (CONTINUED)	
Queensland (continued)	
Fairlies Knob N.P. (Toxidia)107	Poona (Toxidia doubledayi) 107
Fraser Island (Toxidia dou) 107	South Qld (Butterflies) 107
Hervey Bay (Butterflies) 107	
Tasmania	Ringarooma (Butterflies) 6
Bridport (Butterflies) 63	Scottsdale (Butterflies) 6
Diddleum Plains (Butterflies)63	Waterhouse (Butterflies) 6
Mathinna (Butterflies) 63	Weldborough Pass (Butterflies)6
North-east (Butterflies) 63	William, Mount (Butterflies) 6
Victoria	(
Albert Park (Vanessa) 103	Gresswell Forest & Hill 37,78
Altona (Hesperilla) 97	Gunbower (Anisynta) 84
Big Desert29-30,68-9,87-8,110-2	Hotham, Mt (Butterflies) 43
Boggy Creek (Butterflies) 43	Howmans Gap (Butterflies) 4
Brandy Creek (Butterflies) 43	Kerang (Anisynta) 84
	Lake Mountain(Excursion) 17
	LaTrobe University (Buttf.)58,78
	Lerderderg Forest Park (But)22-3
Buller, Mt (Oreixenica) 21	Lorne (Heteronympha penelope) 21
Bundoora (Eurema smilax) 102	Macedon, Mt (Pseudalmenus) 65
Cement Creek (Graphium) 8	Murrindindi (Graphium) 8-9
Colquhoun Forest (Graphium) 64	Mansfield (Eurema smilax) 102
Delegate, Mt (Chauliognath.)109	Ocean Grove (Acrodipsas mrm.) 97
Disappointment, Mt (Heteron.)21	Red Bluff 29-30,68-9,87-8,110 -2
Donna Buang, Mt (Graphium) 8	Richmond, Mt (Oriexenica ker.)21
Eltham (Paralucia) 97	Toombullup (Eurema smilax) 102
Falls Creek (Lepidoptera) 43	Toorloo Arm (Graphium sarped.)64
Ferntree Gully (Pseudalmenus)66	Tyers, Lake (Graphium sarped.)64
Fitzroy Gardens (Butterflies) 103	Werribee River State Park 65
Gisborne (Pseudalmenus) 65	(Pseudalmenus)
	Yarra Bend 103
THE SOCIETY	
Conservation Subcommittee 59,81	Le Souëf Award 19
Constitution 19,41,57,82,99,101	Life Membership 58
Excursions 17,113	Membership list 120-2
Hon. Treesurer's Report 20	Membership numbers 59-61
Incorporporation	Membership geograph.analysis 119
1,19,41,57,78.80,81	Tax exempt status 82
Junior Encouragement Fund	Victorian Entomologist 1,33-4,79
19,40-1,80-1	Victorian Ent. advertising 19
19,40-1,00-1	
HOCT DI ANTE	Wings and Stings 33
HOST PLANTS	C. microstochus (Namenilla)22-2
Acacia dealbata (Pseudalmen.) 66 A. melanoxylon (Pseudalmen.) 65	G. microstachya (Hesperilla)22-3
A. melanoxylon (Pseudalmen.)	G. radula (Hesperilla donny.) 23
Acacia (Cisseis)	G. sieberiana (skippers) 23
Atherosperma moschatum (Graph) 8	Grevillea (Stigmodera) 26
Bauhinia galpinni (Polyura) 4	Leptospermum myrsinoides
Brachyohiton (Polyura pyrrhus)4	(beetles) 68,87,110-1
Bromus stramineus (Telicota)105	Lupinus (Lampides) 63
Caesalpinea decapetala (Polyu)4	Mallee (Buprestidae) 26-7
Cassia fistula (Polyura pyrrh)4	Melaleuca uncinata (Anthicus) 68
Dillwynia (Ethon) 26	Rubus (Alcinous) 27
Enteropogon acicularis (Croit)24	Tristaniopsis laurina 64
Echium lycopsis 78-9,94	(Graphium sarpedon)
Eucalyptus incrassata (beet1)87	
E. leucoxylon (beetles) 110	
Gahnia aspera (Hesperilla) 48	

COLEOPTERA			
Big Desert29-30,68-9,87	•	Cerambycidae	
In houses	79	Earinus kreusleri	68
Thenatosis	110	Eroschema poweri	111
Anthicidae	-	Tryphocaria sp.	110
Anthicus brevicollis	68	Uracanthus leai	110
	26-8,102	Chrysomelidae	
Alcinous nodosus	27	Trachymela	112
Astraeus	27	Dytiscidae	
Cisseis leucosticta	27	Lancetes lanceolatus	110
Cyria australis	27	Geotrupidae	
Ethon	26	Blackburnium cavicolle	68
Julodimorpha bakewolli	27,68-9	Lycidae	
Stigmodera argillacea	112	Chauliognathus	109
S. australasiae	27	Scarabaeidae	
S. castelnaudi	27	Aphodius ambiguus	30
S. crenata	26-7	A. lividus	30
S. decemmaculata	27	Colpochila bella	110
S. dimidiata	27	C. bicolor	87
S. heros	27,102	C. pulchslin	87
S. malleeana	27	Cryptodus paradoxus	68
S. msrginicollis	27	Diaphonia satelles	88
S. mitchelli	27,110	Heteronyx sp. near agrice	
S. octomaculata	110	Liparetrus rotundicollis	111
S. pallidiventris	27,112	Onthophagus blackwoodensi	
S. sexplagiata	26	-	
S. simulata	27		30,68
S. viridolinea	•	Phyllotocus erythropterus	
S. viitata	27	P. kingii	87
	26,29	Tenebrionidae	
S. xanthospilosa	110	Agasthenes westwoodi	29
Carabidae		Helaeus castor	111
Carenum spp.	88		
Carenum olegans	88	DIPTERA	
Chlaenius	111	Boreoides subulatus	39
Gnathoxys	88		
Neocarenum elongatum	30,88		
Parroa apicalis	30		
Scaraphites	30,88		
Simodontus rotundipennis	87		
HYMENOPTERA			
Formicidae .		Ichneumonidse	
Iridomyrmex biconvexus	65	Lissopimpla migration	2
Notoncus	1		
LEPIDOPTERA			
Birds attacking butterfl	ies ,42,103	Butterfly predation by bi 21,39,42,6	
Butterflies Barrington T		Lepidoptera Big Desert29,	
Butterflies Carnarvon Go		Lepidoptera NE Vic. Mts.	
Butterflies Lorderdorg F	P 22-3	List threatened	43-4
Butterflies North-oast T	2 am. 62		92
Butterflies south Queens	landio	Migration	114
Butterflies Yanakie		Moisture sucking	111
	89	Castniidae	
Buttorfly Farm -Saunders		Synemon	112
	114	<u>Hepialidae</u>	
		Fraus musca	43

LEPIDOPTERA (CONTINUED)	Lycaenidae (continued)
Hesperiidae	Theclinesthes sp. 62
Mating behaviour Trapezitinae 7	T. miskini 25
Ovipositing 48-9	T. onycha 6
Anisynta cynone 7,84	2
A. dominula 43-4,62	
A. monticolae 43	Zizina labradus6,22,25,62,63
	Noctuidae
	Dasypodia selenophora 29
Croitana arenaria (SA) 24-5	Agrotis infusa 44
ilasora khoda 62	Nymphalidae
Hesperilla chrysotricha 63	Acraea andromacha 6
H. crypsargyra 22-3,62	Danaus chrysippus 6
H. donnysa 22-3,63	D. plexippus 6,25,42,103
H. flavescens 49.97	Euploea core 6,42
H. idothea 62,63,89	Geitoneura acantha 6
H. malindeva (ovipositing) 48-9	G. klugii 43,63
H. picta 89	Hoteronympha cordace 21,43,63
Motasingha trimaculata 25,110	H. merope
Ocybadistos walkeri 63	6,22,43,62,63,100,106
Oreisplanus munionga 43	H. paradelpha 43
Suniana sunias 107	H. penelope 21,43
Taractrocera papyria 63	H. solandri 43
Telicota ancilla 105	
T. eurotas 105	
T. kreffti 105	Junonia villida 6,25
	Melanitis leda 6
Toxidia doubledayi 107	Oriexenica correae 43-4
T. peron 7	0. kershawi 21, 43,62
Trapezites eliena 22,44	0. lathoniella 21,43
T. phigalia 22	0. orichora 43
T. phigaloides 22	Polyura pyrrhus 4,62
Lasiocampidae	Precis villida 44
Entometa 39	Tisiphone abeona 62
Lycaenidae	Vanessa itea 44,63,103
Acrodipsas arcana 100	V. korshaw16,25,29,44,103,106
A. myrmecophila 18,97	Xois arctoa 6
Candalides geminus 62	Papilionidao
C. heathi 25	Nomenclature 46-7,104
C. hyacinthinus 22,25,62	Lack of colour in reared
Catochrysops panormus 6	specimens 8-9,44-5
Everes lacturnus 6	Cressida cressida 6
Hypochrysops delicia 37,62	Graphium macleayanum
H. ignitus 18	8-9,62-3,103
Jalmenus evagoras 43,62	
Lampides boeticus 6,63,103,111	
Lucia limbaria 100	Papilio aegeus 6
	P. anactus 103
Nacaduba biocellata 25,89	Pieridae
Neolucia agricola22,25,44,63,112	Anaphaeis java 6,22
N. hobartensis 43	Applas paulina 6, 114
Ogyris sp. (WA) 2	Catopsilia pomona 6
0. abrota 58	C. pyrantho 6
0. amaryllis 25,116	Delias aganippe 2,114
0. barnardi 25	D. harpalyce 22,78,85
0. genoveva 100	D. nigrina 85
O. olane 22	Eurema hocabe 6
Paralucia aurifera 43,63	E. smilax 6,25,102
P. pyrodiscus 21,39,97,114	Pieris rapae 42,103
Philiris innotata 6	NEUROPTERA
Prosotas felderi 107	Norfolius 2
Pseudalmenus chlorinda 65-7	
	INDEX 12-16

Atkins, Andrew	A note on the mating behaviour of Australian 7 Trapezitine skipper butterflies
Brown, Jean	Polyura pyrrhus sempronius (Fabricius), 1793 4 Butterflies and mythology 31,69,89,113
	Birds versus butterflies 42
	The colour question. A pale, bred specimen 44-5
Burns, John	of <u>Graphium serpedon choredon</u> Sighting of Blue Triangle, <u>Graphium serpedon</u> 64
burns, com	choredon (Lepidoptera:Papilionidae) at Lake
	Tyers district, Victoria
	Extension of range of <u>Pseudalmenus</u> 65-7 <u>ohlorinda zephyrus</u> (Lepidptera:Lycaenidae)
Burns, Joy &	Buprestidee 26-8
Burns, Gordon	
Coupar, Pet &	Notes on rearing Macleay's Swallowtail 8-9
Coupar, Mike	D. I. D. J. J. Averbour Health Decktor Clark has B.
Crosby, D.F.	Book Review. Australia's Butterflies by
	Peter Wilson Birds attacking butterflies 21
	Butterflies in the Lerderderg Forest Park 22-3
	Book Review. The Butterfly Gardener by Mir- 32
	iam Rothschild and Clive Farrell
	A note on one of our early collectors 84-5
Dunn K I	Richard Ernest Trebilcock, 1880-1976  A note on the rare butterfly from Bauple 85
Dunn, K.L.	Telicota in Victoria (Lepidoptera: Hesper.) 105-6
	New distribution records for butterflies in 107
	southern Queensland
Dunn, K.L. &	Ovipositing behaviour in the skipper Hesp- 48-9
Menskie, R.C.	erilla malindeva Lower (Lepidoptera: Hesperiidee:Trapezitinae)
Feithfull, Ian	The Big Desert - Red Bluff and the Border track
1021	3 to 7 November 1984. Part 1. 29-30
	Part 2: 68-9; Part 3; 87-8; Part 4: 110-2
	The Victorian Entomologist: a resume 33-4
	Changes in membership numbers 59-61 More butterflies from Yanakie and correct- 89
	ions to previous note
	Butterflies and birds 103,106
	Book Review. Scientific & common names of 108-9
	insects & allied forms occurring in Austral
Fisher, R.H.	by P.B. Carne (Editor) et al. Nomenclature of Australian Papilionidae 46-7
ribiidi, R.iii.	Book Review. Australian Tropical Butterflies 86 by P. Valentine & C. & D. Frith
	Nomenclature of Australian Papilionidae - 104
	en update
Holmes, David	Collecting in the north east mountains 43-4
	area, February 1988
Manskie, R.C.	See Dunn
Moore, Mike	A new butterfly record from South Austral- 24-5 is and a list of species from northern
	Eyre Peninsula
Morton, Tony	Butterflies observed in Carnarvon Gorge Nat- 6
	ional Park, Queensland between 1 and 3 Jan- uary 1985
	Visit to Barrington Tops January 1988 62
	North-east Tasmania - December 1987 63

#### AUSTRALIAN ENTOMOLOGICAL SOCIETY

20TH AGM AND SCIENTIFIC CONFERENCE
MACQUARIE UNIVERSITY SYDNEY 3-6 MAY 1989
'INSECTS '89: PROSPECTS AND PROBLEMS'



Chemical control of insects and mites, biological and integrated control, medical and veterinary entomology, current investigations in ant biology, advances in systematics, hormones and physiology; A.R. Woodhill Momorial Address- Prof. F.J.D. McDonald: Insects in perspective; Annual Dinner.

Details:

John Macdonald, BCRI, PMB 10, Rydalmere, NSW 2116 Phone (02) 683 9766

## CONTRIBUTIONS TO THE VICTORIAN ENTOMOLOGIST

The Society welcomos contributions of articles, papers or notes pertaining to any aspect of entomology for publication in the New Bulletin. Contributions are not rostricted to membors but are invited from all who have an interest. Material submitted should be responsible and original. Statements and opinions expressed are the responsibility of the respective authors and do not necessarily reflect the policies of the Society. It is of great assistance if contributions are typed on paper of A4 (International Quarto) size, one and a half spaced with triple spacing between paragraphs and a margin of 3 cm.

## **ADVERTISING**

The charge for advortising is \$5.00 per half page.

The new Editor of the <u>Victorian Entomologist</u> is expected to be John Burns. Material for forthcoming issues should be sont to him at 274 Church Street, Templestowo, Vic., 3106.

DEADLINE FOR THE APRIL ISSUE WILL DE ABOUT FRIDAY 28 MARCH.

The <u>Victorian Entomologist</u> is printed at the Standards Association of Australia Printery, Clunios Ross House, 191 Royal Parade Parkvillo, Victoria. Thanks for the last issue, produced in record time.

## CONTENTS

Minutes of the General Moeting 9 December 1988	1
1988 Le Souef Memorial Award Winnor Mr Robert H. Fisher	3
Coleoptera from Plonty Gorgo & Grosswell by I. Faithfull	4
Butterfly Bullies Birds by Peter Valentine	5
Five Species of Arctiids Common in the Melbourne Region	6
by Pat & Mike Coupar	
M.J. Manski. The Entomologist Without A Net by Kelvyn Dunn	9
On Tho Grapevine	13
Memborship Application	14
Recent Articles of Interest	15
On The Grapevine	19
Subject Indox to Volume 18 (1988) of the	20
Author Index to Volumo 18 (1988)	24

## OFFICE BEARERS

President	- Ken Walker, Musoum of Victoria, 71 Victoria Cres., Abbotsford, Vic., 3067. 419 5200 (BH)
Vice-Presidents	- Ross Field, 51 Sandells Road, Tecoma, 3160. 754 2085 (AH) Mark Hunting, 29 Paloma St., South Oakleigh, 3167. 570 7174 (AH)
Hon. Secretary	- Tim New, Zoology Dopt., LaTrobe University, Bundoora, 3083. 718 1007 (AH), 479 2247 (BH)
Hon. Treasurer	- Gordon Burns, 3 Inglis St., Mornington, 3931. (059) 75 3730
Hon. Editor	
Excursions Secretary	- Petor Carwardine, 2a Victoria Road, Malvern, 3144. 211 8958 (All)
Public Officer	- David Crosby, 74 Gipps St., East Melbourne, 3002. 417 6345
Past President Councillors	- Joy Burns - Michael Braby, David Crosby, Julie Field, Peter Kolly

## DIARY OF COMING EVENTS

Friday 17 February - General Moeting.

8 pm		Gordon Berg, Plant Research Institute. "Biocontrol of Pasture Cockchafers"
	17 March 21 April 19 May 16 June	- Council Meeting - General Meeting. Nembers' short talks - Council Meeting - Annual General Meeting

Scientific names contained in this document are not intended for permanent scientific record, and are not published for the purposes of nomenclature within the meaning of the International Code of Zoological Nomenclature, Article 8(b). Contributions are not referood, and authors alone are responsible for the views expressed.